

Recommended ICY DOCK Storage Kits for HP Z6 Workstation

Choose the category to see product selections



FOR EXTERNAL 5.25" DRIVE BAY



2.5" SSD/HDD CAGES

Ideal for High IOPS Setup

- Fits up to 8x 2.5" SSD/HDD
- Uses only 1x 5.25" drive bay
- Selection from 3 bays to 8 bays

[VIEW ITEMS](#)



3.5" HDD MOBILE RACK

Ideal for SMB Backup or Forensic

- Fits 1x 3.5" HDD
- Supports both SAS & SATA
- Available in tray & tray-less

[VIEW ITEMS](#)



3.5" HDD CAGES

Ideal for High Capacity RAID Setup

- Fits up to 3x 3.5" HDD
- Supports both SAS & SATA
- Available in tray & tray-less

[VIEW ITEMS](#)



5.25" CONVERSION KITS

Ideal for Multimedia Applications

- Converts your external 5.25" drive bay into 2.5" or 3.5" slots
- Hot-swap version is available

[VIEW ITEMS](#)

FOR EXTERNAL 3.5" DRIVE BAY / SLIM ODD BAY



2.5" SSD MOBILE RACK

Ideal for Hybrid Storage Config

- Fits up to 3x 2.5" SSD/HDD
- Heavy duty full metal design
- Selection from 1 bay to 3 bays

[VIEW ITEMS](#)



2.5" SSD MOBILE RACK

Ideal for SFF Systems

- Fits up to 1x 2.5" SSD/HDD
- Heavy duty full metal design
- Fits slim ODD or FDD bay

[VIEW ITEMS](#)

FOR INTERNAL 3.5" HARD DRIVE BAY



2.5" SSD/HDD CONVERTERS

Ideal for System Drive Upgrades

- Compatible with HP HDD sled
- Fits 1x 2.5" SSD/HDD
- Tool-less drive installation
- RAID version is available

[VIEW ITEMS](#)



2.5" SSD/HDD MOUNTING KITS

Ideal for System Drive Upgrades

- Compatible with HP HDD sled
- Fits up to 3x 2.5" SSD/HDD
- Tool-less drive installation
- Full metal version is available

[VIEW ITEMS](#)

Highest Storage Density



ICY DOCK ToughArmor MB998SP-B

- Fits up to 8x 2.5" drive in 1x 5.25" bay
- Heavy duty full metal construction
- Fits 2.5" SATA SSD/HDD from 5 - 7mm height
- Dual 40mm cooling fans keep drives cool
- ICY DOCK 3-year limited warranty

| | | | |
|------------------------|-------------------|--------------------|-----------|
| 5.25" Bay x1 | 2.5" x8 | Cooling Efficiency | ■ ■ ■ ■ □ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ □ |
| | | Accessibility | ■ ■ ■ ■ □ |
| | | Functionality | ■ ■ ■ ■ □ |
| | | Value | ■ ■ ■ ■ □ |

Best Price-Performance Ratio



ICY DOCK ToughArmor MB996SP-6SB

- Fits up to 6x 2.5" drive in 1x 5.25" bay
- Heavy duty full metal construction
- Fits 2.5" SATA SSD/HDD from 5 - 9.5mm height
- Fan speed control (high, low & auto)
- ICY DOCK 3-year limited warranty

| | | | |
|------------------------|-------------------|--------------------|-----------|
| 5.25" Bay x1 | 2.5" x6 | Cooling Efficiency | ■ ■ ■ ■ □ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ □ |
| | | Accessibility | ■ ■ ■ ■ □ |
| | | Functionality | ■ ■ ■ ■ □ |
| | | Value | ■ ■ ■ ■ □ |

Best Drive Compatibility



ICY DOCK ToughArmor MB994SP-4S

- Fits up to 4x 2.5" drive in 1x 5.25" bay
- Heavy duty full metal construction
- Fits 2.5" SATA/SAS SSD/HDD from 5 - 15mm height
- Dual 40mm cooling fans keep drives cool
- UL listed & HP approved
- ICY DOCK 3-year limited warranty

| | | | |
|------------------------|-------------------|--------------------|-----------|
| 5.25" Bay x1 | 2.5" x4 | Cooling Efficiency | ■ ■ ■ ■ □ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ □ |
| | | Accessibility | ■ ■ ■ ■ □ |
| | | Functionality | ■ ■ ■ ■ □ |
| | | Value | ■ ■ ■ ■ □ |

Power Efficient Design



ICY DOCK ToughArmor MB994SP-4SB-1

- Fits up to 4x 2.5" drive in 1x 5.25" bay
- Heavy duty full metal construction
- Fits 2.5" SATA/SAS SSD/HDD from 5 - 15mm height
- Fan On / Off control
- ICY DOCK 3-year limited warranty

| | | | |
|------------------------|-------------------|--------------------|-----------|
| 5.25" Bay x1 | 2.5" x4 | Cooling Efficiency | ■ ■ ■ ■ □ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ □ |
| | | Accessibility | ■ ■ ■ ■ □ |
| | | Functionality | ■ ■ ■ ■ □ |
| | | Value | ■ ■ ■ ■ □ |

Max Drive Security



ICY DOCK ToughArmor MB994SK-1B

- Fits up to 4x 2.5" drive in 1x 5.25" bay
- Heavy duty full metal construction
- Fits 2.5" SATA/SAS SSD/HDD from 5 - 15mm height
- Dual 40mm cooling fans keep drives cool
- Key lock for each tray keeps drives secure
- ICY DOCK 3-year limited warranty

| | | | |
|------------------------|-------------------|--------------------|-----------|
| 5.25" Bay x1 | 2.5" x4 | Cooling Efficiency | ■ ■ ■ ■ ■ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ ■ |
| | | Accessibility | ■ ■ ■ ■ ■ |
| | | Functionality | ■ ■ ■ ■ ■ |
| | | Value | ■ ■ ■ ■ ■ |

Best for Multimedia Computing



ICY DOCK ToughArmor MB994IPO-3SB

- Fits up to 2x 2.5" drive + 1 x12.7mm height slim ODD in 1 x 5.25" bay
- Heavy duty full metal construction
- Fits 2.5" SATA/SAS SSD/HDD from 5 - 15mm height
- UL listed & HP approved
- ICY DOCK 3-year limited warranty

| | | | |
|------------------------|------------------------------------|--------------------|-----------|
| 5.25" Bay x1 | 2.5" x2 ODD x1 | Cooling Efficiency | ■ ■ ■ ■ ■ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ ■ |
| | | Accessibility | ■ ■ ■ ■ ■ |
| | | Functionality | ■ ■ ■ ■ ■ |
| | | Value | ■ ■ ■ ■ ■ |

Best Value



ICY DOCK ExpressCage MB324SP-B

- Fits up to 4x 2.5" drive in 1x 5.25" bay
- Unique tool-less drive installation design
- Fits 2.5" SATA/SAS SSD/HDD from 5 - 12.5mm height
- Fan speed control (high, low & auto)
- ICY DOCK 3-year limited warranty

| | | | |
|------------------------|-------------------|--------------------|-----------|
| 5.25" Bay x1 | 2.5" x4 | Cooling Efficiency | ■ ■ ■ ■ ■ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ ■ |
| | | Accessibility | ■ ■ ■ ■ ■ |
| | | Functionality | ■ ■ ■ ■ ■ |
| | | Value | ■ ■ ■ ■ ■ |

Best Value with Density



ICY DOCK ExpressCage MB326SP-B

- Fits up to 6x 2.5" drive in 1x 5.25" bay
- Unique tool-less drive installation design
- Fits 2.5" SATA/SAS SSD/HDD from 5 - 9.5mm height
- Fan speed control (high, low & auto)
- ICY DOCK 3-year limited warranty

| | | | |
|------------------------|-------------------|--------------------|-----------|
| 5.25" Bay x1 | 2.5" x6 | Cooling Efficiency | ■ ■ ■ ■ ■ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ ■ |
| | | Accessibility | ■ ■ ■ ■ ■ |
| | | Functionality | ■ ■ ■ ■ ■ |
| | | Value | ■ ■ ■ ■ ■ |

High Speed Data Storage



ICY DOCK ToughArmor MB699VP-B

- Fits 4x 2.5" NVMe U.2 SSD in 1x 5.25" bay
- Supports both SAS and SATA HDDs
- Hot swappable drive tray design
- Dual 40mm cooling fan w/ fan speed control
- ICY DOCK 3-year limited warranty

| | | | |
|------------------------|-------------------|--------------------|-----------|
| 5.25" Bay x1 | 2.5" x4 | Cooling Efficiency | ■ ■ ■ ■ ■ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ ■ |
| | | Accessibility | ■ ■ ■ ■ ■ |
| | | Functionality | ■ ■ ■ ■ ■ |
| | | Value | ■ ■ ■ ■ ■ |

Ideal For High IOPS System



ICY DOCK ToughArmor MB516SP-B

- Fits 16x 2.5" drive in 2x 5.25" bay
- Supports both SAS and SATA HDDs
- Hot swappable drive tray design
- Large 80mm cooling fan w/ fan speed control
- Full metal design with 3-year limited warranty

| | | | |
|------------------------|--------------------|--------------------|-----------|
| 5.25" Bay x2 | 2.5" x16 | Cooling Efficiency | ■ ■ ■ ■ ■ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ ■ |
| | | Accessibility | ■ ■ ■ ■ ■ |
| | | Functionality | ■ ■ ■ ■ ■ |
| | | Value | ■ ■ ■ ■ ■ |

Complete Tray-less Design



ICY DOCK flexiDOCK MB524SP-B

- Fits 4x 2.5" SSD/HDD from 5 - 9.5mm height
- Supports both SAS and SATA drives
- Door-less design for quick drive swapping
- Individual power & eject buttons
- ICY DOCK 3-year limited warranty

| | | | |
|------------------------|-------------------|--------------------|-----------|
| 5.25" Bay x1 | 2.5" x4 | Cooling Efficiency | ■ ■ ■ ■ ■ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ ■ |
| | | Accessibility | ■ ■ ■ ■ ■ |
| | | Functionality | ■ ■ ■ ■ ■ |
| | | Value | ■ ■ ■ ■ ■ |

Max Drive Stability



ICY DOCK DataCage Basic MB876SK-B

- Fits 1x 3.5" drive in 1x 5.25" bay
- Supports both SAS and SATA HDDs
- Hot swappable drive tray design
- Interchangeable drive tray with FatCage series
- ICY DOCK 3-year limited warranty

| | | | |
|---------------------------|----------------------------|--------------------|-----------|
| 5.25" Bay x1 | 3.5" x1 | Cooling Efficiency | ■ ■ ■ ■ ■ |
| | | Drive Protection | ■ ■ ■ ■ ■ |
| | | Accessibility | ■ ■ ■ ■ ■ |
| | | Functionality | ■ ■ ■ ■ ■ |
| | | Value | ■ ■ ■ ■ ■ |
| MORE INFO | DATA SHEET | | |

Maximum Cooling



ICY DOCK TurboSwap MB171SP-B

- Fits 1x 3.5" drive in 1x 5.25" bay
- Supports both SAS and SATA HDDs
- Tray-less drive installation, design for hot-swap
- Slim 80mm cooling fan w/ fan speed control
- Full metal design with 3-year limited warranty

| | | | |
|---------------------------|----------------------------|--------------------|-----------|
| 5.25" Bay x1 | 3.5" x1 | Cooling Efficiency | ■ ■ ■ ■ ■ |
| | | Drive Protection | ■ ■ ■ ■ ■ |
| | | Accessibility | ■ ■ ■ ■ ■ |
| | | Functionality | ■ ■ ■ ■ ■ |
| | | Value | ■ ■ ■ ■ ■ |
| MORE INFO | DATA SHEET | | |

Multi-Funtion 3.5" Bay & ODD



ICY DOCK DuoSwap MB971SPO

- Fits 1x 3.5" drive and 1 x ODD in 1x 5.25" bay
- Supports SATA HDDs & Ultra Slim ODD
- Tray-less drive installation, design for hot-swap
- On/off slide switch & drive ejection button
- ICY DOCK 3-year limited warranty

| | | | |
|---------------------------|----------------------------|--------------------|-----------|
| 5.25" Bay x1 | 3.5" x1 ODD x1 | Cooling Efficiency | ■ ■ ■ ■ ■ |
| | | Drive Protection | ■ ■ ■ ■ ■ |
| | | Accessibility | ■ ■ ■ ■ ■ |
| | | Functionality | ■ ■ ■ ■ ■ |
| | | Value | ■ ■ ■ ■ ■ |
| MORE INFO | DATA SHEET | | |

Fits both 2.5" & 3.5" Drives



ICY DOCK DuoSwap MB971SP-B

- Fits 1x 2.5" and 1x 3.5" drives in 1x 5.25" bay
- Supports both SAS and SATA HDDs
- Tray-less drive installation, design for hot-swap
- Individual drive power & drive ejection button
- ICY DOCK 3-year limited warranty

| | | | |
|---------------------------|----------------------------|--------------------|-----------|
| 5.25" Bay x1 | 3.5" x1 2.5" x1 | Cooling Efficiency | ■ ■ ■ ■ ■ |
| | | Drive Protection | ■ ■ ■ ■ ■ |
| | | Accessibility | ■ ■ ■ ■ ■ |
| | | Functionality | ■ ■ ■ ■ ■ |
| | | Value | ■ ■ ■ ■ ■ |
| MORE INFO | DATA SHEET | | |

Best Drive Stability



ICY DOCK FatCage MB153SP-B

- Fits up to 3x 3.5" drive in 2x 5.25" bay
- Supports both SAS and SATA HDDs
- User replaceable 80mm cooling fan
- Hot swappable drive tray design
- ICY DOCK 3-year limited warranty

| | | | |
|------------------------|-------------------|--------------------|-----------|
| 5.25" Bay x2 | 3.5" x3 | Cooling Efficiency | ■ ■ ■ ■ □ |
| | | Drive Protection | ■ ■ ■ ■ □ |
| | | Accessibility | ■ ■ ■ ■ □ |
| | | Functionality | ■ ■ ■ ■ □ |
| | | Value | ■ ■ ■ ■ ■ |
| MORE INFO | DATA SHEET | | |

Made for Hot Swap



ICY DOCK FlexCage MB973SP-1B

- Fits up to 3x 3.5" drive in 2x 5.25" bay
- Tray-less drive installation, design for hot-swap
- User replaceable 80mm cooling fan
- Fan speed control (high, low & auto)
- Simple version of MB973SP-2B

| | | | |
|------------------------|-------------------|--------------------|-----------|
| 5.25" Bay x2 | 3.5" x3 | Cooling Efficiency | ■ ■ ■ ■ □ |
| | | Drive Protection | ■ ■ ■ ■ □ |
| | | Accessibility | ■ ■ ■ ■ □ |
| | | Functionality | ■ ■ ■ ■ □ |
| | | Value | ■ ■ ■ ■ ■ |
| MORE INFO | DATA SHEET | | |

↓ **5.25" BAY CONVERSION KITS**

🏠 **BACK TO HOME**

High Storage Density Design



ICY DOCK FLEX-FIT MB343SP

- Converts 5.25" bay to external 3.5" drive bay
- Fits 2x 2.5" SSD/HDD from 5 - 9.5mm height
- Fits 1x 3.5" hard drive or 1x 3.5" device

| | | | |
|------------------------|--------------------|--------------------|---------|
| 5.25" Bay x1 | 3.5" X1 2.5" X2 | Cooling Efficiency | ■ ■ ■ ■ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ |
| | | Accessibility | ■ ■ ■ ■ |
| | | Functionality | ■ ■ ■ ■ |
| | | Value | ■ ■ ■ ■ |

Made Easy for Drive Swapping



ICY DOCK ExpressCage MB322SP-B

- Converts 5.25" bay to external 3.5" drive bay
- Fits 2x 2.5" SSD/HDD from 5 - 9.5mm height
- Fits 1x 3.5" hard drive or 1x 3.5" device
- Hot-swappable 2.5" drive tray design

| | | | |
|------------------------|--------------------|--------------------|---------|
| 5.25" Bay x1 | 3.5" X1 2.5" X2 | Cooling Efficiency | ■ ■ ■ ■ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ |
| | | Accessibility | ■ ■ ■ ■ |
| | | Functionality | ■ ■ ■ ■ |
| | | Value | ■ ■ ■ ■ |

Cost Effective Bracket



ICY DOCK Quattro MB344SP

- Mounts up to 4x 2.5" drive in 1x 5.25" bay
- Unique tool-less drive installation design
- Fits 2.5" SSD/HDD from 7 - 9.5mm height
- Cost-effective solution for drive upgrades
- Can be used as stackable organizing storage rack

| | | | |
|------------------------|-------------------|--------------------|---------|
| 5.25" Bay x1 | 2.5" X4 | Cooling Efficiency | ■ ■ ■ ■ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ |
| | | Accessibility | ■ ■ ■ ■ |
| | | Functionality | ■ ■ ■ ■ |
| | | Value | ■ ■ ■ ■ |

Multifunctional Bracket



ICY DOCK Flex-Fit Trio MB343SPO

- Fits 1x 3.5" drive + Ultra Slim ODD in 1x 5.25" bay
- Fits 2.5" SSD/HDD from 7 - 9.5mm height
- Fits 1x 3.5" hard drive or 1x 3.5" device
- Cost-effective solution for drive upgrades

| | | | |
|------------------------|-------------------|--------------------|---------|
| 5.25" Bay x1 | 2.5" X2 ODD x1 | Cooling Efficiency | ■ ■ ■ ■ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ |
| | | Accessibility | ■ ■ ■ ■ |
| | | Functionality | ■ ■ ■ ■ |
| | | Value | ■ ■ ■ ■ |

Best Drive Compatibility



FLEX-FIT 5.25" to 3.5"
Drive Bay Conversion Kit

ICY DOCK ToughArmor MB991SK-B / MB991SK-B

- Fits 1x 2.5" drive from 5 - 15mm height
- Supports both SAS and SATA HDDs
- Supports SAS dual channel (MB9911K-B)
- Interchangeable drive tray with MB991 & MB994
- Full metal design with 3-year warranty

| | | | |
|-----------------------|-------------------|--------------------|-----------|
| 3.5" Bay x1 | 2.5" x1 | Cooling Efficiency | ■ ■ ■ ■ □ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ □ |
| | | Accessibility | ■ ■ ■ ■ □ |
| | | Functionality | ■ ■ ■ ■ □ |
| | | Value | ■ ■ ■ ■ □ |

Dual Drives



FLEX-FIT 5.25" to 3.5"
Drive Bay Conversion Kit

ICY DOCK ToughArmor MB992SK-B

- Fits 2x 2.5" drive from 5 - 9.5mm height
- Supports both SAS and SATA HDDs
- Hot swappable drive tray design
- Interchangeable drive tray with MB992 & MB996
- Full metal design with 3-year warranty

| | | | |
|-----------------------|-------------------|--------------------|-----------|
| 3.5" Bay x1 | 2.5" x2 | Cooling Efficiency | ■ ■ ■ ■ □ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ □ |
| | | Accessibility | ■ ■ ■ ■ □ |
| | | Functionality | ■ ■ ■ ■ □ |
| | | Value | ■ ■ ■ ■ □ |

Data Redundancy Ready



FLEX-FIT 5.25" to 3.5"
Drive Bay Conversion Kit

ICY DOCK ToughArmor MB992SKR-B

- Fits 2x 2.5" drive from 5 - 9.5mm height
- Built-in RAID 0, RAID 1, JBOD & BIG modes
- Rebuild status light with monitoring software
- Interchangeable drive tray with MB992 & MB996
- Full metal design with 3-year warranty

| | | | |
|-----------------------|-------------------|--------------------|-----------|
| 3.5" Bay x1 | 2.5" x2 | Cooling Efficiency | ■ ■ ■ ■ □ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ □ |
| | | Accessibility | ■ ■ ■ ■ □ |
| | | Functionality | ■ ■ ■ ■ □ |
| | | Value | ■ ■ ■ ■ □ |

Max Storage Density



FLEX-FIT 5.25" to 3.5"
Drive Bay Conversion Kit

ICY DOCK ToughArmor MB993SK-B

- Fits 3x 2.5" drive from 5 - 7mm
- Supports both SAS and SATA HDDs
- Hot swappable drive tray design
- Interchangeable drive tray with MB993
- Full metal design with 3-year warranty

| | | | |
|-----------------------|-------------------|--------------------|-----------|
| 3.5" Bay x1 | 2.5" x3 | Cooling Efficiency | ■ ■ ■ ■ □ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ □ |
| | | Accessibility | ■ ■ ■ ■ □ |
| | | Functionality | ■ ■ ■ ■ □ |
| | | Value | ■ ■ ■ ■ □ |

Dock for Quick Swap



ICY DOCK FlexiDOCK MB521SP-B

- Fits 1x 2.5" SSD/HDD from 5 - 15mm height
- Supports both SAS and SATA drives
- Door-less design for quick drive swapping
- Flush in design for full drive protection
- ICY DOCK 3-year limited warranty

| | | | |
|-----------------------|-------------------|--------------------|-----------|
| 3.5" Bay x1 | 2.5" x1 | Cooling Efficiency | ■ ■ ■ ■ □ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ □ |
| | | Accessibility | ■ ■ ■ ■ □ |
| | | Functionality | ■ ■ ■ ■ □ |
| | | Value | ■ ■ ■ ■ □ |

Dual Docking Design



ICY DOCK FlexiDOCK MB522SP-B

- Fits 2x 2.5" SSD/HDD from 5 - 9.5mm height
- Supports both SAS and SATA drives
- Door-less design for quick drive swapping
- Flush in design for full drive protection
- ICY DOCK 3-year limited warranty

| | | | |
|-----------------------|-------------------|--------------------|-----------|
| 3.5" Bay x1 | 2.5" x2 | Cooling Efficiency | ■ ■ ■ ■ □ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ □ |
| | | Accessibility | ■ ■ ■ ■ □ |
| | | Functionality | ■ ■ ■ ■ □ |
| | | Value | ■ ■ ■ ■ □ |

Thumb Screw Lock Design



ICY DOCK ToughArmor EX MB491SKL-B

- Fits 1x 2.5" SSD/HDD from 5 - 15mm height
- Supports both SAS and SATA drives
- Dual lock design - metal key lock & thumb screw
- Heavy duty full metal construction
- ICY DOCK 3-year limited warranty

| | | | |
|-----------------------|-------------------|--------------------|-----------|
| 3.5" Bay x1 | 2.5" x1 | Cooling Efficiency | ■ ■ ■ ■ □ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ □ |
| | | Accessibility | ■ ■ ■ ■ □ |
| | | Functionality | ■ ■ ■ ■ □ |
| | | Value | ■ ■ ■ ■ □ |

Thumb Screw Lock Design



ICY DOCK ToughArmor EX MB492SKL-B

- Fits 2x 2.5" SSD/HDD from 5 - 9.5mm height
- Supports both SAS and SATA drives
- Dual lock design - metal key lock & thumb screw
- Heavy duty full metal construction
- ICY DOCK 3-year limited warranty

| | | | |
|-----------------------|-------------------|--------------------|-----------|
| 3.5" Bay x1 | 2.5" x2 | Cooling Efficiency | ■ ■ ■ ■ □ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ □ |
| | | Accessibility | ■ ■ ■ ■ □ |
| | | Functionality | ■ ■ ■ ■ □ |
| | | Value | ■ ■ ■ ■ □ |



High Speed Compact Storage



ICY DOCK ToughArmor MB601VK-B

- Fits 1x 2.5" NVMe U.2 SSD from 5-15mm height
- Supports U.2 NVMe / SAS / SATA SSD
- Hot swappable drive tray design
- Extra drive protection - 2 segment key lock
- ICY DOCK 3-year limited warranty

| | | | |
|---------------------------|------------------------------|--------------------|-------------|
| 3.5" Bay x1 | 2.5" x1 | Cooling Efficiency | ■ ■ ■ ■ □ □ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ □ □ |
| | | Accessibility | ■ ■ ■ ■ □ □ |
| | | Functionality | ■ ■ ■ ■ □ □ |
| | | Value | ■ ■ ■ ■ □ □ |

[MORE](#)

[BACK TO HOME](#)

Perfect for SFF System




ICY DOCK ToughArmor MB411SPO-B

- Fits up to 1x 2.5" SSD/HDD from 5 - 9.5mm height
- Fits Slim ODD or FDD bay
- Supports both SAS and SATA HDDs
- Hot swappable drive tray design
- Full metal design with 3-year warranty

| | | | |
|---------------------------|-------------------|--------------------|---------|
| Slim ODD Bay x1 | 2.5" x1 | Cooling Efficiency | ■ ■ ■ ■ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ |
| | | Accessibility | ■ ■ ■ ■ |
| | | Functionality | ■ ■ ■ ■ |
| | | Value | ■ ■ ■ ■ |

Extra Security Protected



ICY DOCK ToughArmor MB411SKO-B

- Fits up to 1x 2.5" SSD/HDD from 5 - 9.5mm height
- Fits Slim ODD or FDD bay
- Supports both SAS and SATA HDDs
- Hot swappable drive tray design
- Full metal design with 3-year warranty

| | | | |
|---------------------------|-------------------|--------------------|---------|
| Slim ODD Bay x1 | 2.5" x1 | Cooling Efficiency | ■ ■ ■ ■ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ |
| | | Accessibility | ■ ■ ■ ■ |
| | | Functionality | ■ ■ ■ ■ |
| | | Value | ■ ■ ■ ■ |

Perfect for SFF System



ICY DOCK ToughArmor MB411SPO-1B

- Fits up to 1x 2.5" SSD/HDD from 5 - 9.5mm height
- Fits Slim ODD bay
- Supports both SAS and SATA HDDs
- Hot swappable drive tray design
- Full metal design with 3-year warranty

| | | | |
|---------------------------|-------------------|--------------------|---------|
| Slim ODD Bay x1 | 2.5" x1 | Cooling Efficiency | ■ ■ ■ ■ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ |
| | | Accessibility | ■ ■ ■ ■ |
| | | Functionality | ■ ■ ■ ■ |
| | | Value | ■ ■ ■ ■ |

Best Compatibility



ICY DOCK EZConvert MB882SP-1S-3B

- Compatible with HP 3.5" drive sled
- Fits 1x 2.5" SSD/HDD from 7 - 15mm height
- Supports both SAS and SATA drives
- Exact 3.5" SATA hard drive form factor
- Tool-less drive installation design

| | | | |
|---------------------------|-------------------|--------------------|---------|
| 3.5" HDD Bay x1 | 2.5" x1 | Cooling Efficiency | ■ ■ ■ ■ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ |
| | | Accessibility | ■ ■ ■ ■ |
| | | Functionality | ■ ■ ■ ■ |
| | | Value | ■ ■ ■ ■ |

Max Air Flow



ICY DOCK EZConvert Air MB482SP-3B

- Compatible with HP 3.5" drive sled
- Fits 1x 2.5" SSD/HDD from 5 - 15mm height
- Supports both SAS and SATA drives
- Exact 3.5" SATA hard drive form factor
- Heavy duty full metal construction

| | | | |
|---------------------------|-------------------|--------------------|---------|
| 3.5" HDD Bay x1 | 2.5" x2 | Cooling Efficiency | ■ ■ ■ ■ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ |
| | | Accessibility | ■ ■ ■ ■ |
| | | Functionality | ■ ■ ■ ■ |
| | | Value | ■ ■ ■ ■ |

Full Metal Protection



ICY DOCK EZConvert Pro MB982IP-1S-1 / MB982SP-1S

- Compatible with HP 3.5" drive sled
- Fits 1x 2.5" SSD/HDD from 7-15mm height
- Supports both SAS and SATA HDDs
- Supports SAS 3.0 Dual Channel(MB982IP-1S-1)
- Heavy duty full metal construction

| | | | |
|-----------------------|-------------------|--------------------|---------|
| 3.5" Bay x1 | 2.5" x1 | Cooling Efficiency | ■ ■ ■ ■ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ |
| | | Accessibility | ■ ■ ■ ■ |
| | | Functionality | ■ ■ ■ ■ |
| | | Value | ■ ■ ■ ■ |

Data Redundancy Ready



**BUILT-IN
BIG / JBOD
RAID 0 / RAID 1
MODES**

ICY DOCK EZConvert Pro MB982SPR-2S R1

- Compatible with HP 3.5" drive sled
- Fits 2x 2.5" SATA SSD/HDD from 7 - 9.5mm height
- Built-in RAID 0, RAID 1, JBOD and BIG modes
- Exact 3.5" SATA hard drive form factor
- Heavy duty full metal construction

| | | | |
|---------------------------|-------------------|--------------------|---------|
| 3.5" HDD Bay x1 | 2.5" x2 | Cooling Efficiency | ■ ■ ■ ■ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ |
| | | Accessibility | ■ ■ ■ ■ |
| | | Functionality | ■ ■ ■ ■ |
| | | Value | ■ ■ ■ ■ |

Cost Effective Dual Drives



ICY DOCK EZ-Fit Lite MB290SP-B

- Compatible with HP 3.5" drive sled
- Fits 2x 2.5" SSD/HDD from 7 - 9.5mm height
- Durable ABS with one-piece design
- Anti-Vibration design for improved reliability
- Tool-less drive installation design

| | | | |
|---------------------------|-------------------|--------------------|---------|
| 3.5" HDD Bay x1 | 2.5" x2 | Cooling Efficiency | ■ ■ ■ ■ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ |
| | | Accessibility | ■ ■ ■ ■ |
| | | Functionality | ■ ■ ■ ■ |
| | | Value | ■ ■ ■ ■ |

Dual Drive in Full Metal



ICY DOCK EZ-Fit Pro MB082SP

- Compatible with HP 3.5" drive sled
- Fits 2x 2.5" SSD/HDD from 7 - 9.5mm height
- Heavy duty full metal construction
- Anti-Vibration design for improved reliability
- Tool-less drive installation design

| | | | |
|---------------------------|-------------------|--------------------|---------|
| 3.5" HDD Bay x1 | 2.5" x2 | Cooling Efficiency | ■ ■ ■ ■ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ |
| | | Accessibility | ■ ■ ■ ■ |
| | | Functionality | ■ ■ ■ ■ |
| | | Value | ■ ■ ■ ■ |

Highest Density 2.5" Drive Kit



ICY DOCK EZ-Fit Trio MB610SP

- Compatible with HP 3.5" drive sled
- Fits 3x 2.5" SSD/HDD from 5 - 7mm height
- Durable ABS with one-piece design
- Anti-Vibration design for improved reliability
- Tool-less drive installation design

| | | | |
|---------------------------|-------------------|--------------------|---------|
| 3.5" HDD Bay x1 | 2.5" x3 | Cooling Efficiency | ■ ■ ■ ■ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ |
| | | Accessibility | ■ ■ ■ ■ |
| | | Functionality | ■ ■ ■ ■ |
| | | Value | ■ ■ ■ ■ |

Two Drives in One



ICY DOCK EZ-Fit MB990SP-B

- Compatible with HP 3.5" drive sled
- Fits 2x 2.5" SSD/HDD from 7 - 9.5mm height
- Lightweight & durable construction
- Anti-Vibration design for improved reliability
- Tool-less drive installation design

| | | | |
|---------------------------|-------------------|--------------------|---------|
| 3.5" HDD Bay x1 | 2.5" x3 | Cooling Efficiency | ■ ■ ■ ■ |
| MORE INFO | DATA SHEET | Drive Protection | ■ ■ ■ ■ |
| | | Accessibility | ■ ■ ■ ■ |
| | | Functionality | ■ ■ ■ ■ |
| | | Value | ■ ■ ■ ■ |